LED Floating Gimbal- 3000K

FDFG-4-9W-3K-WH

SKU#101044



100 Shields Court, Unit B Markham, Ontario Canada, L3R 9T5

Adjustable in any direction, easy to use, and the design allows for fine adjustments and gimbal position, It is perfect for directional accent lighting.

Ideal for sloped ceilings, wall washing, highlight artwork, task or general lighting etc.











Lumens







Multi-directions



Lifespan



Color Rendering Index

Features

Wattages


- 90° tilt, you can adjust the light to right irradiance angle
- ullet Beam spread options available: 38°
- Made of durable steel material
- It is a high-performance, easy to install residential or commercial grade light solution that offers good light output, energy-efficiency and streamlined design
- Input voltage: AC 120V 50/60Hz
- Fast & easy to install-save on labour
- Color rendering index: 80
- 100%-10% dimming capability, this fixture is compatible with industry standard TRIAC/ELV dimmers
- Lifetime rated for greater than 50,000 hours
- Insulated ceiling rated for direct contact with insulation
- Suitable for damp location
- Air tight



Back View



Dimensions





FDFG-4-9W-3K-WH

4" LED Floating Gimbal, 9 Watts, 3000K, 700 lms, Dimmable 10-100%, 120V,Round, White