LED Floating Gimbal- 3CCT

FDFG-4-9W-3K4K5K-WH FDFG-4-9W-3K4K5K-BK

SKU#101047 SKU#101048



100 Shields Court, Unit B Markham, Ontario Canada, L3R 9T5

Product choice: Black / White

Adjustable in any direction, easy to use, and the design allows for fine adjustments and gimbal position, It is perfect for directional accent lighting. Ideal for sloped ceilings, wall washing, highlight artwork, task or general lighting etc.



BLACK























Wattages



Lumens







Multi-directions





Lifespan

Color Rendering Index


Features

- 90° tilt, you can adjust the light to right irradiance angle
- Beam spread options available: 38°
- Made of durable steel material
- It is a high-performance, easy to install residential or commercial grade light solution that offers good light output, energy-efficiency and streamlined design
- Input voltage: AC 120V 50/60Hz
- Fast & easy to install-save on labour
- Color rendering index: 80
- 100%-10% dimming capability, this fixture is compatible with industry standard TRIAC/ELV dimmers
- Lifetime rated for greater than 50,000 hours
- Insulated ceiling rated for direct contact with insulation
- Suitable for damp location
- Air tight





Dimensions





FDFG-4-9W-3K4K5K-WH

4" LED Floating Gimbal, 9 Watts, Pre-select CCT 3K/4K/5K, 700 lms, Dimmable 10-100%, 120V, Round, White



FDFG-4-9W-3K4K5K-BK

4" LED Floating Gimbal, 9 Watts, Pre-select CCT 3K/4K/5K, 700 lms, Dimmable 10-100%, 120V, Round, Black